

#10/B (N.E)  
6/9/99  
B.N.



PATENT

-1-

UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of	)	Group Art Unit: 2712
	)	
YASUO IWASAKI	)	Examiner: C. Onuaku
	)	
Application No. 08/826,744	)	<b>RESPONSE UNDER 37 C.F.R.</b>
	)	<b>§ 1.116 - EXPEDITED</b>
Filed: April 7, 1997	)	<b>PROCEDURE - EXAMINING</b>
	)	<b>GROUP 2700</b>
For: AUDIO AND/OR VIDEO DATA	)	
RECORDING AND REPRODUCING	)	2001 Ferry Building
APPARATUS AND METHOD OF	)	San Francisco, CA 94111
SAME	)	(415) 433-4150
	)	
	)	Atty Docket: SONY-P7325

RECEIVED

JUN 08 1999

GROUP 2700

Box AF  
Assistant Commissioner for Patents  
Washington, D.C. 20231

Sir:

In response to the Office Action mailed April 5, 1999, please consider the following remarks:

**REMARKS**

Claims 1-18 are pending in this application. On May 28, 1999 the undersigned attorney spoke with the Examiner regarding the references used in the rejection of claims 4-5 and 14-15 (page 5 of the Office Action). In the Office Action, the Examiner rejected the claims under Kassatly in view of Nakayama, but in the detailed rejection applied Windrem instead of Kassatly. In the telephone conversation, the Examiner indicated that Windrem was an error and should be replaced with Kassatly for this rejection. Accordingly this